





PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary Sort Save Text Clip Add Order
	Show: 20 T Items 1-20 of 272 Page 1 of 14 Select page: 12325528502
Entrez PubMed	☐1: Saghari S, Bakshandeh H, Kerdel F. Sudden onset of melanuria in a patient with metastatic melanoma and toxic epidermal necrolysis. Int J Dermatol. 2002 Feb;41(2):116-8. PMID: 11982652 [PubMed - in process]
PubMed Services	Clinical Relevance of MGMT in the Treatment of Cancer. J Clin Oncol. 2002 May 1;20(9):2388-99. PMID: 11981013 [PubMed - in process]
	□3: Wang Y, Lambert P, Zhao L, Wang D. Related Articles Synthesis and antibacterial activity of dual-action agents of a beta-lactam antibiotic with cytotoxic agent mitozolomide or temozolomide. Eur J Med Chem. 2002 Apr;37(4):323-32. PMID: 11960667 [PubMed - in process]
Related Resources	□4: Ma J, Murphy M, O'Dwyer PJ, Berman E, Reed K, Gallo JM. Related Articles Biochemical changes associated with a multidrug-resistant phenotype of a human glioma cell line with temozolomide-acquired resistance. Biochem Pharmacol. 2002 Apr 1;63(7):1219-28. PMID: 11960598 [PubMed - in process]
	 \(\text{van Meerbeeck JP, Baas P, Debruyne C, Smit EF, van Klaveren RJ, Galdermans D, Lentz MA, Manegold C, Giaccone G. \(\text{A phase II EORTC study of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Eur J Cancer. 2002;38(6):779-83.} \) \(\text{PMID: 11937311 [PubMed - in process]} \) \(\text{PMID: 11937311 [PubMed - in process]} \) \(\text{PMID: 1.00 Memory of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with malignant pleural mesothelioma.} \) \(\text{Function of temozolomide in patients with mesothelioma.} \) \(\text{Function of tempory of tempory with mesothelioma.} \) \(\text{Function of tempory of tempory of tempory of tempory of tempory with mesothelioma.} \) \
	☐6: Margolin K, Atkins B, Thompson A, Ernstoff S, Weber J, Flaherty L, Clark I, Weiss G, Sosman J, II Smith W, Dutcher P, Gollob J, Longmate J, Johnson D. Temozolomide and whole brain irradiation in melanoma metastatic to the brain: a phase II trial of the Cytokine Working Group. J Cancer Res Clin Oncol. 2002 Apr;128(4):214-8. PMID: 11935312 [PubMed - in process]
	☐7: Paul MJ, Summers Y, Calvert AH, Rustin G, Brampton MH, Thatcher N, Middleton MR. Effect of temozolomide on central nervous system relapse in patients with advanced melanoma. Melanoma Res. 2002 Apr;12(2):175-8.

PMID: 11930115 [PubMed - in process]

8: Skirvin JA, Lichtman SM.

Related Articles

Pharmacokinetic considerations of oral chemotherapy in elderly patients with cancer.

Drugs Aging. 2002;19(1):25-42.

PMID: 11929325 [PubMed - in process]

9: Turner CD, Gururangan S, Eastwood J, Bottom K, Watral M, Beason R,

Related Articles

McLendon RE, Friedman AH, Tourt-Uhlig S, Miller LL, Friedman HS.

Phase II study of irinotecan (CPT-11) in children with high-risk malignant brain

tumors: the Duke experience. Neuro-oncol. 2002 Apr;4(2):102-8. PMID: 11916501 [PubMed - in process]

10: Wick W, Wick A, Schulz JB, Dichgans J, Rodemann HP, Weller M.

Related Articles

Prevention of irradiation-induced glioma cell invasion by temozolomide involves caspase 3 activity and cleavage of focal adhesion kinase.

Cancer Res. 2002 Mar 15;62(6):1915-9.

PMID: 11912174 [PubMed - indexed for MEDLINE]

11: Stupp R, Gander M, Leyvraz S, Newlands E.

Related Articles

Current and future developments in the use of temozolomide for the treatment of brain tumours.

Lancet Oncol. 2001 Sep;2(9):552-60. PMID: 11905710 [PubMed - in process]

12: Hwu W J, Raizer J, Panageas K S, Lis E.

Related Articles

Treatment of metastatic melanoma in the brain with temozolomide and thalidomide.

Lancet Oncol. 2001 Oct;2(10):634-5. No abstract available.

PMID: 11902555 [PubMed - in process]

☐ **13**: Bruce S.

Related Articles

Temozolomide (Temodar).

Clin J Oncol Nurs. 2001 Jan-Feb;5(1):37-8. No abstract available.

PMID: 11899402 [PubMed - in process]

☐ 14: Schwenka J, Ignoffo RJ.

Related Articles

Temozolomide. A new option for high-grade astrocytomas.

Cancer Pract. 2000 Nov-Dec;8(6):311-3. Review. No abstract available.

PMID: 11898150 [PubMed - indexed for MEDLINE]

15: Tentori L, Leonetti C, Scarsella M, d'Amati G, Portarena I, Zupi G, Bonmassar E, Related Articles Graziani G.

Combined treatment with temozolomide and poly(ADP-ribose) polymerase inhibitor enhances survival of mice bearing hematologic malignancy at the central nervous system site.

Blood. 2002 Mar 15;99(6):2241-4. PMID: 11877304 [PubMed - in process]

☐ 16: Dinnes J, Cave C, Huang S, Milne R.

Related Articles

A rapid and systematic review of the effectiveness of temozolomide for the treatment of recurrent malignant glioma.

Br J Cancer. 2002 Feb 12;86(4):501-5. Review.

PMID: 11870527 [PubMed - indexed for MEDLINE]

□17: Brada M.

Related Articles

NICE verdict on Temozolomide: where next?

Br J Cancer. 2002 Feb 12;86(4):499-500. No abstract available.

PMID: 11870526 [PubMed - indexed for MEDLINE]

18: Groves MD, Puduvalli VK, Hess KR, Jaeckle KA, Peterson P, Yung WK, Levin Related Articles VA.

Phase II trial of temozolomide plus the matrix metalloproteinase inhibitor,

marimastat, in recurrent and progressive glioblastoma multiforme.

J Clin Oncol. 2002 Mar 1;20(5):1383-8.

PMID: 11870183 [PubMed - indexed for MEDLINE]

19: Stupp R, Dietrich PY, Ostermann Kraljevic S, Pica A, Maillard I, Maeder P,
Meuli R, Janzer R, Pizzolato G, Miralbell R, Porchet F, Regli L, de Tribolet N,
Mirimanoff RO, Leyvraz S.

Promising survival for patients with newly diagnosed glioblastoma multiforme treated with concomitant radiation plus temozolomide followed by adjuvant temozolomide.

J Clin Oncol. 2002 Mar 1;20(5):1375-82.

PMID: 11870182 [PubMed - indexed for MEDLINE]

20: Bafaloukos D, Gogas H, Georgoulias V, Briassoulis E, Fountzilas G, Samantas E, Related Articles Kalofonos Ch, Skarlos D, Karabelis A, Kosmidis P.

Temozolomide in combination with docetaxel in patients with advanced melanoma: a phase II study of the Hellenic Cooperative Oncology Group.

J Clin Oncol. 2002 Jan 15;20(2):420-5.

PMID: 11786569 [PubMed - indexed for MEDLINE]

Display Summary V Sort V S	ave Text	Clip Add C	Order	
Show: 20 v Items 1-20 of 272	Page 1 of 14	Select p	age: 0233	S 6 7 8 9 10 2

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

and the first section of the constitution







PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary V Sort V Save Text Clip Add Order
	Show: 20 T Items 21-40 of 272 Page 2 of 14 Select page: 123256783102
Entrez PubMed	☐21: Khan RB, Raizer JJ, Malkin MG, Bazylewicz KA, Abrey LE. A phase II study of extended low-dose temozolomide in recurrent malignant gliomas. Neuro-oncol. 2002 Jan;4(1):39-43. PMID: 11772431 [PubMed - in process]
	T22: Reni M, Ferreri AJ. Related Articles
PubMed Services	Therapeutic management of refractory or relapsed primary central nervous system lymphomas. Ann Hematol. 2001;80 Suppl 3:B113-7. Review. PMID: 11757691 [PubMed - indexed for MEDLINE]
	☐ 23: Long L, Dolan ME. Related Articles
	Role of cytochrome P450 isoenzymes in metabolism of O(6)-benzylguanine: implications for dacarbazine activation. Clin Cancer Res. 2001 Dec;7(12):4239-44. PMID: 11751525 [PubMed - indexed for MEDLINE]
Related Resources	☐ 24: Landonio G, Sartore-Bianchi A, Giannetta L, Renga M, Riva M, Siena S. Related Articles
rtesources	Controversies in the management of brain metastases: the role of chemotherapy. Forum (Genova). 2001 Jan-Mar;11(1):59-74. Review. PMID: 11734865 [PubMed - indexed for MEDLINE]
	25: Benjelloun A, Delavelle J, Lazeyras F, Dietrich PY. Related Articles
	Possible efficacy of temozolomide in a patient with gliomatosis cerebri. Neurology. 2001 Nov 27;57(10):1932-3. No abstract available. PMID: 11723300 [PubMed - indexed for MEDLINE]
	☐ 26: Abrey LE, Olson JD, Raizer JJ, Mack M, Rodavitch A, Boutros DY, Malkin MG. Related Articles A phase II trial of temozolomide for patients with recurrent or progressive brain metastases. J Neurooncol. 2001 Jul;53(3):259-65. PMID: 11718258 [PubMed - indexed for MEDLINE]
	☐ 27: Berry SE, Kinsella TJ. Targeting DNA mismatch repair for radiosensitization. Semin Radiat Oncol. 2001 Oct;11(4):300-15. Review. PMID: 11677655 [PubMed - indexed for MEDLINE]
	□28: Wang Y, Stevens MF, Chan Tm T, DiBenedetto D, Ding Zx Z, Gala D, Hou D, Kugelman M, Leong W, Kuo Sc S, Mas JL, Schumacher DP, Shutts BP, Smith L, Zhan ZY, Thomson WT.

Antitumor Imidazotetrazines. 35. New Synthetic Routes to the Antitumor Drug Temozolomide.

J Org Chem. 1997 Oct 17;62(21):7288-7294.

PMID: 11671842 [PubMed - as supplied by publisher]

29: Linassier C, Destrieux C, Benboubker L, Alcaraz L, Bergemer-Fouquet AM, Jan Related Articles M, Calais G, Colombat P.

[Role of high-dose chemotherapy with hemopoietic stem-cell support in the treatment of adult patients with high-grade glioma]

Bull Cancer. 2001 Sep;88(9):871-6. Review. French.

PMID: 11604360 [PubMed - indexed for MEDLINE]

30: Rainov NG, Fels C, Droege JW, Schafer C, Kramm CM, Chou TC.

Related Articles

Temozolomide enhances herpes simplex virus thymidine kinase/ganciclovir therapy of malignant glioma.

Cancer Gene Ther. 2001 Sep;8(9):662-8.

PMID: 11593335 [PubMed - indexed for MEDLINE]

31: Taverna P, Liu L, Hwang HS, Hanson AJ, Kinsella TJ, Gerson SL.

Related Articles

Methoxyamine potentiates DNA single strand breaks and double strand breaks induced by temozolomide in colon cancer cells.

Mutat Res. 2001 May 10;485(4):269-81.

PMID: 11585361 [PubMed - indexed for MEDLINE]

32: Gururangan S, Cokgor L, Rich JN, Edwards S, Affronti ML, Quinn JA, Herndon Related Articles JE 2nd, Provenzale JM, McLendon RE, Tourt-Uhlig S, Sampson JH, Stafford-Fox V, Zaknoen S, Early M, Friedman AH, Friedman HS.

Phase I study of Gliadel wafers plus temozolomide in adults with recurrent supratentorial high-grade gliomas.

Neuro-oncol. 2001 Oct;3(4):246-50.

PMID: 11584894 [PubMed - indexed for MEDLINE]

☐33: Rao RD, Robins HI, Mehta MP.

Related Articles

Late recurrence of a primitive neuro-ectodermal tumor.

Oncology. 2001;61(3):189-91.

PMID: 11574773 [PubMed - indexed for MEDLINE]

34: Brandes AA, Basso U, Pasetto LM, Ermani M.

Related Articles

New strategy developments in brain tumor therapy.

Curr Pharm Des. 2001 Nov;7(16):1553-80. Review.

PMID: 11562299 [PubMed - indexed for MEDLINE]

35: Jansen M, Bardenheuer W, Sorg UR, Seeber S, Flasshove M, Moritz T.

Related Articles

Protection of hematopoietic cells from O(6)-alkylation damage by

O(6)-methylguanine DNA methyltransferase gene transfer: studies with different

O(6)-alkylating agents and retroviral backbones.

Eur J Haematol. 2001 Jul;67(1):2-13.

PMID: 11553261 [PubMed - indexed for MEDLINE]

☐ 36: Tseng SH, Bobola MS, Berger MS, Silber JR.

Related Articles

Characterization of paclitaxel (Taxol) sensitivity in human glioma- and medulloblastoma-derived cell lines.

Neuro-oncol. 1999 Apr;1(2):101-8.

PMID: 11550305 [PubMed - indexed for MEDLINE]

☐37: Yung WK.

Related Articles

Future directions for temozolomide therapy. Semin Oncol. 2001 Aug;28(4 Suppl 13):43-6. Review. PMID: 11550138 [PubMed - indexed for MEDLINE]

☐ 38: Abrey LE, Christodoulou C.

Related Articles

Temozolomide for treating brain metastases. Semin Oncol. 2001 Aug;28(4 Suppl 13):34-42. Review. PMID: 11550137 [PubMed - indexed for MEDLINE]

☐ **39:** Prados M.

Related Articles

Temozolomide in combination with other cytotoxic agents. Semin Oncol. 2001 Aug;28(4 Suppl 13):24-33. Review.

PMID: 11550136 [PubMed - indexed for MEDLINE]

☐40: Stupp R, Newlands E.

Related Articles

version to the value of the Person of Little

New approaches for temozolomide therapy: use in newly diagnosed glioma.

Semin Oncol. 2001 Aug;28(4 Suppl 13):19-23. Review. PMID: 11550135 [PubMed - indexed for MEDLINE]

	ave Text Clip	Add Order	
Show: 20 Titems 21-40 of 272	Page 2 of 14	Select page: 0233	56789109







NC S	BI		Pu	b Wed	Libr of Medic	ary NLM				
PubMed	١	Nucleotide	Protein	Genome	Structure	PopSet	Taxono	my	MIM	Books
Search _F	ubMed	▼ for		g	all		J 3 W-	Go C	lear	
		Limits	Preview/In	dex History	Clipboard	Details	S	***************************************		
)	Display	Abstract	▼ Sort	Save	Text	Clip Add	Order	-	
Entrez PubMed		Ant	itumor In	97 Oct 17;62(nidazotetra rug Temozo	zines. 35. ľ		Related Arti			LinkOu
PubMed Services		Kug	elman M, I	ns MF, Chan Leong W, Kuo homson WT.	•			•		
Related Resources	6	Three inter 5-am convolution 0-5 cometh meth prep hydr prep by di Atter phos	te new pathy mediates 3, nino-1-(N-m verted to 4 in degrees C. Con anylamine or anyl isocyana ared from 8- olysis to the ared from en inazotization mpts to cycl	ways to the and 6, and 7. The nethylcarbamon 45% yield by Compound 6 is directly from the or N-methyl-cyano-3-methe hydrochloridation 5-amino-1-lize 5-(3-methylosgene equival	key intermed yl)imidazole y employing a prepared from 5-aminoimid lcarbamoyl con ylimidazo[5 e salt of 4 in nidazole-4-con (N-methylca yltriazen-1-y	temozolo liate -4-carbox sodium ni om nitropl azole-4-c hloride. 7 ,1-d]-1,2, 10 M hyd arbonitrile arbamoyl)	emide (4) he camide (6) itrite in aque henyl carba carboxamid remozolom 3,5-tetrazin drochloric are (28) and imidazole-ole-4-carbo	has been take (13) a mate (4) n-4(3H) acid. Comethyl idecarboxamide	n explo n succe rtaric ac 4a and ind either is also -one (7) ompoun- isocyan onitrile ((3) with	red via ssfully cid at er by d 7is ate or (25).
		PMI	D: 1167184	2 [PubMed - a	s supplied b	y publish	er]			

Write to the Help Desk NCBI | NLM | NIH Department of Health & Human Services Freedom of Information Act | Disclaimer

Text

Clip Add

Order

▼ Save

Sort

1 of 1

Display

Abstract







D INCUI	of Medicine Man
PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	v for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary Sort Save Text Clip Add Order
	Show: 20 Items 61-80 of 272 Page 4 of 14 Select page: 02325678202
Entrez PubMed	☐61: Danam RP, Howell SR, Remack JS, Brent TP. Heterogeneous methylation of the O(6)-methylguanine-DNA methyltransferase promoter in immortalized IMR90 cell lines. Int J Oncol. 2001 Jun;18(6):1187-93.
	PMID: 11351250 [PubMed - indexed for MEDLINE]
PubMed Services	☐ 62: Srivenugopal KS, Shou J, Mullapudi SR, Lang FF Jr, Rao JS, Ali-Osman F. Enforced expression of wild-type p53 curtails the transcription of the O(6)-methylguanine-DNA methyltransferase gene in human tumor cells and enhances their sensitivity to alkylating agents. Clin Cancer Res. 2001 May;7(5):1398-409. PMID: 11350911 [PubMed - indexed for MEDLINE]
	Thalidomide as an anti-angiogenic agent in relapsed gliomas. J Neurooncol. 2001 Jan;51(1):41-5.
Related	PMID: 11349879 [PubMed - indexed for MEDLINE]
Resources	164: Tentori L, Portarena I, Vernole P, De Fabritiis P, Madaio R, Balduzzi A, Roy R, Related Articles Bonmassar E, Graziani G. Effects of single or split exposure of leukemic cells to temozolomide, combined with
	poly(ADP-ribose) polymerase inhibitors on cell growth, chromosomal aberrations and base excision repair components. Cancer Chemother Pharmacol. 2001 Apr;47(4):361-9. PMID: 11345654 [PubMed - indexed for MEDLINE]
	☐ 65: Chinot OL, Honore S, Dufour H, Barrie M, Figarella-Branger D, Muracciole X, Related Articles Braguer D, Martin PM, Grisoli F.
	Safety and efficacy of temozolomide in patients with recurrent anaplastic oligodendrogliomas after standard radiotherapy and chemotherapy. J Clin Oncol. 2001 May 1;19(9):2449-55. PMID: 11331324 [PubMed - indexed for MEDLINE]
	☐ 66: Si YK. Related Articles
	[Use of nuclear magnetic resonance spectroscopy in drug metabolism studies] Yao Xue Xue Bao. 1997;32(3):236-40. Review. Chinese. No abstract available. PMID: 11327031 [PubMed - indexed for MEDLINE]
	☐ 67: Glaser T, Castro MG, Lowenstein PR, Weller M. Related Articles
	Death receptor-independent cytochrome c release and caspase activation mediate thymidine kinase plus ganciclovir-mediated cytotoxicity in LN-18 and LN-229 human

malignant glioma cells.

Gene Ther. 2001 Mar;8(6):469-76.

PMID: 11313826 [PubMed - indexed for MEDLINE]

☐ **68**: Dummer R, Burg G.

Related Articles

What's new in the treatment of melanoma?

J Eur Acad Dermatol Venereol. 2000 Sep;14(5):337-9. No abstract available.

PMID: 11305369 [PubMed - indexed for MEDLINE]

General Schold SC Jr, Kuhn JG, Chang SM, Bosik ME, Robins HI, Mehta MP, Spence AM, Fulton D, Fink KL, Prados MD.

A phase I trial of 1,3-bis(2-chloroethyl)-1-nitrosourea plus temozolomide: a North

American Brain Tumor Consortium study.

Neuro-oncol. 2000 Jan;2(1):34-9.

PMID: 11302252 [PubMed - indexed for MEDLINE]

☐ 70: Brada M, Hoang-Xuan K, Rampling R, Dietrich PY, Dirix LY, Macdonald D, Heimans JJ, Zonnenberg BA, Bravo-Marques JM, Henriksson R, Stupp R, Yue N, Bruner J, Dugan M, Rao S, Zaknoen S.

Multicenter phase II trial of temozolomide in patients with glioblastoma multiforme at first relapse.

Ann Oncol. 2001 Feb;12(2):259-66.

PMID: 11300335 [PubMed - indexed for MEDLINE]

71: Brandes AA, Ermani M, Basso U, Amista P, Berti F, Scienza R, Rotilio A, Pinna Related Articles G, Gardiman M, Monfardini S.

Temozolomide as a second-line systemic regimen in recurrent high-grade glioma: a phase II study.

Ann Oncol. 2001 Feb;12(2):255-7.

PMID: 11300334 [PubMed - indexed for MEDLINE]

72: Christodoulou C, Bafaloukos D, Kosmidis P, Samantas E, Bamias A, Papakostas Related Articles P, Karabelis A, Bacoyiannis C, Skarlos DV.

Phase II study of temozolomide in heavily pretreated cancer patients with brain metastases.

Ann Oncol. 2001 Feb;12(2):249-54.

PMID: 11300333 [PubMed - indexed for MEDLINE]

☐ 73: Hirose Y, Berger MS, Pieper RO.

Related Articles

p53 effects both the duration of G2/M arrest and the fate of temozolomide-treated human glioblastoma cells.

Cancer Res. 2001 Mar 1;61(5):1957-63.

PMID: 11280752 [PubMed - indexed for MEDLINE]

☐ 74: Armstrong T, Hancock C.

Related Articles

Temodar offers promise for treating astrocytomas.

Clin J Oncol Nurs. 2000 Jul-Aug;4(4):159-60.

PMID: 11261095 [PubMed - indexed for MEDLINE]

75: Yin JH, Yang DI, Chou H, Thompson EM, Xu J, Hsu CY.

Related Articles

Inducible nitric oxide synthase neutralizes carbamoylating potential of

1,3-bis(2-chloroethyl)-1-nitrosourea in c6 glioma cells.

J Pharmacol Exp Ther. 2001 Apr;297(1):308-15.

PMID: 11259558 [PubMed - indexed for MEDLINE]

76: Harrison KL, Wood M, Lees NP, Hall CN, Margison GP, Povey AC.

Related Articles

Development and application of a sensitive and rapid immunoassay for the quantitation of N7-methyldeoxyguanosine in DNA samples.

Chem Res Toxicol. 2001 Mar;14(3):295-301.

PMID: 11258978 [PubMed - indexed for MEDLINE]

□77: Ferreri AJ, Reni M, Dell'Oro S, Ciceri F, Bernardi M, Camba L, Ponzoni M,
Terreni MR, Tomirotti M, Spina M, Villa E.

Combined treatment with high-dose methotrexate, vincristine and procarbazine, without intrathecal chemotherapy, followed by consolidation radiotherapy for primary central nervous system lymphoma in immunocompetent patients.

Oncology. 2001;60(2):134-40.

PMID: 11244328 [PubMed - indexed for MEDLINE]

78: Kokkinakis DM, Bocangel DB, Schold SC, Moschel RC, Pegg AE.

Related Articles

Related Articles

Thresholds of O6-alkylguanine-DNA alkyltransferase which confer significant resistance of human glial tumor xenografts to treatment with

1,3-bis(2-chloroethyl)-1-nitrosourea or temozolomide.

Clin Cancer Res. 2001 Feb;7(2):421-8.

PMID: 11234899 [PubMed - indexed for MEDLINE]

□**79:** Hwu WJ.

New approaches in the treatment of metastatic melanoma: thalidomide and temozolomide.

Oncology (Huntingt). 2000 Dec;14(12 Suppl 13):25-8. Review.

PMID: 11204670 [PubMed - indexed for MEDLINE]

□80: Kim H, Likhari P, Parker D, Statkevich P, Marco A, Lin CC, Nomeir AA. Related Articles

High-performance liquid chromatographic analysis and stability of anti-tumor agent temozolomide in human plasma.

J Pharm Biomed Anal. 2001 Jan;24(3):461-8.

PMID: 11199225 [PubMed - indexed for MEDLINE]



Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

entropy of programme of the first of







PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary Sort Save Text Clip Add Order
	Show: 20 T Items 81-100 of 272 Page 5 of 14 Select page: 1232550289105
Entrez PubMed	■ 81: Matheson SL, McNamee J, Jean-Claude BJ. Design of a chimeric 3-methyl-1,2,3-triazene with mixed receptor tyrosine kinase and DNA damaging properties: a novel tumor targeting strategy. J Pharmacol Exp Ther. 2001 Mar;296(3):832-40. PMID: 11181914 [PubMed - indexed for MEDLINE]
PubMed Services	Protection and in vivo selection of hematopoietic stem cells using temozolomide, O6-benzylguanine, and an alkyltransferase-expressing retroviral vector. Mol Ther. 2001 Jan;3(1):78-87. PMID: 11162314 [PubMed - indexed for MEDLINE]
Related	■ 83: Jen JF, Cutler DL, Pai SM, Batra VK, Affrime MB, Zambas DN, Heft S, Hajian Related Article G. Population pharmacokinetics of temozolomide in cancer patients. Pharm Res. 2000 Oct;17(10):1284-9. PMID: 11145236 [PubMed - indexed for MEDLINE]
Resources	□84: Nieder C, Grosu AL, Molls M. Related Article
	A comparison of treatment results for recurrent malignant gliomas. Cancer Treat Rev. 2000 Dec;26(6):397-409. Review. PMID: 11139371 [PubMed - indexed for MEDLINE]
	■85: Taverna P, Liu L, Hanson AJ, Monks A, Gerson SL. Related Article
	Characterization of MLH1 and MSH2 DNA mismatch repair proteins in cell lines of the NCI anticancer drug screen. Cancer Chemother Pharmacol. 2000;46(6):507-16. PMID: 11138465 [PubMed - indexed for MEDLINE]
	□86: Royce ME, Hoff PM, Pazdur R. Related Article
	Novel oral chemotherapy agents. Curr Oncol Rep. 2000 Jan;2(1):31-7. Review. PMID: 11122822 [PubMed - indexed for MEDLINE]
	Novel chemotherapeutic agents for the treatment of brain cancer. Expert Opin Investig Drugs. 2000 Dec;9(12):2815-29. Review. PMID: 11093355 [PubMed - indexed for MEDLINE]
	■ Plumb JA, Strathdee G, Sludden J, Kaye SB, Brown R. Related Article
	Reversal of drug resistance in human tumor xenografts by

2'-deoxy-5-azacytidine-induced demethylation of the hMLH1 gene promoter.

Cancer Res. 2000 Nov 1:60(21):6039-44.

PMID: 11085525 [PubMed - indexed for MEDLINE]

□89: Osoba D. Related Articles

Effects of temozolomide in malignant brain tumours.

Lancet. 2000 Jul 22;356(9226):342. No abstract available.

PMID: 11071219 [PubMed - indexed for MEDLINE]

White AW, Almassy R, Calvert AH, Curtin NJ, Griffin RJ, Hostomsky Z, Maegley K, Newell DR, Srinivasan S, Golding BT.
Related Articles, Protein, Structure

Resistance-modifying agents. 9. Synthesis and biological properties of benzimidazole inhibitors of the DNA repair enzyme poly(ADP-ribose) polymerase.

J Med Chem. 2000 Nov 2;43(22):4084-97.

PMID: 11063605 [PubMed - indexed for MEDLINE]

191: Griffin RJ, Arris CE, Bleasdale C, Boyle FT, Calvert AH, Curtin NJ, Dalby C, Kanugula S, Lembicz NK, Newell DR, Pegg AE, Golding BT.

Resistance-modifying agents. 8. Inhibition of O(6)-alkylguanine-DNA alkyltransferase by O(6)-alkenyl-, O(6)-cycloalkenyl-, and O(6)-(2-oxoalkyl)guanines and potentiation of temozolomide cytotoxicity in vitro by

O(6)-(1-cyclopentenylmethyl)guanine.

J Med Chem. 2000 Nov 2;43(22):4071-83.

PMID: 11063604 [PubMed - indexed for MEDLINE]

192: Middleton MR, Lee SM, Arance A, Wood M, Thatcher N, Margison GP. Related Articles

O6-methylguanine formation, repair protein depletion and clinical outcome with a 4 hr schedule of temozolomide in the treatment of advanced melanoma: results of a phase II study.

Int J Cancer. 2000 Nov 1;88(3):469-73.

PMID: 11054678 [PubMed - indexed for MEDLINE]

□93: Brandes AA, Pasetto LM, Vastola F, Monfardini S.

Related Articles

Temozolomide in patients with high grade gliomas.

Oncology. 2000 Sep;59(3):181-6. Review.

PMID: 11053983 [PubMed - indexed for MEDLINE]

Patel VJ, Elion GB, Houghton PJ, Keir S, Pegg AE, Johnson SP, Dolan ME, Bigner DD, Friedman HS.

Schedule-dependent activity of temozolomide plus CPT-11 against a human central nervous system tumor-derived xenograft.

Clin Cancer Res. 2000 Oct;6(10):4154-7.

PMID: 11051270 [PubMed - indexed for MEDLINE]

195: Heimberger AB, Archer GE, McLendon RE, Hulette C, Friedman AH, Friedman Related Articles HS, Bigner DD, Sampson JH.

Temozolomide delivered by intracerebral microinfusion is safe and efficacious against malignant gliomas in rats.

Clin Cancer Res. 2000 Oct;6(10):4148-53.

PMID: 11051269 [PubMed - indexed for MEDLINE]

196: Houghton PJ, Stewart CF, Cheshire PJ, Richmond LB, Kirstein MN, Poquette CA, Tan M, Friedman HS, Brent TP.

Antitumor activity of temozolomide combined with irinotecan is partly independent of O6-methylguanine-DNA methyltransferase and mismatch repair phenotypes in xenograft models.

Clin Cancer Res. 2000 Oct;6(10):4110-8.

PMID: 11051264 [PubMed - indexed for MEDLINE]

97: Cai Y, Wu MH, Xu-Welliver M, Pegg AE, Ludeman SM, Dolan ME.

Related Articles

Effect of O6-benzylguanine on alkylating agent-induced toxicity and mutagenicity. In Chinese hamster ovary cells expressing wild-type and mutant O6-alkylguanine-DNA alkyltransferases.

Cancer Res. 2000 Oct 1;60(19):5464-9.

PMID: 11034089 [PubMed - indexed for MEDLINE]

□98: Spiro T, Liu L, Gerson S.

Related Articles

New cytotoxic agents for the treatment of metastatic malignant melanoma: temozolomide and related alkylating agents in combination with guanine analogues to abrogate drug resistance.

Forum (Genova). 2000 Jul-Sep;10(3):274-85. Review. PMID: 11007934 [PubMed - indexed for MEDLINE]

☐ 99: [No authors listed]

Related Articles

Temozolomide for refractory anaplastic astrocytoma.

Med Lett Drugs Ther. 1999 Dec 17;41(1068):123-4. No abstract available.

PMID: 10987014 [PubMed - indexed for MEDLINE]

□100: Osoba D, Brada M, Yung WK, Prados MD.

Related Articles

State of grant the state of

Health-related quality of life in patients with anaplastic astrocytoma during treatment with temozolomide.

Eur J Cancer. 2000 Sep;36(14):1788-95.

PMID: 10974627 [PubMed - indexed for MEDLINE]

Display Summary Sort Save Text	Clip Add Order
Show: 20 V Items 81-100 of 272 Page 5 of	14 Select page: 123955783102







- IVCDI	of Medicine Man	
PubMed N	lucleotide Protein Genome Structure PopSet Taxonomy	MIM Books
Search PubMed	v for temozolomide Go C	lear
	Limits Preview/Index History Clipboard Details	
	Display Summary V Sort V Save Text Clip Add Order	Ž ^A .
	Show: 20 T Items 201-220 of 272 Page 11 of 14 Select	page: ©UIII
Entrez PubMed	□201: Bower M, Newlands ES, Bleehen NM, Brada M, Begent RJ, Calvert H, Colquhoun I, Lewis P, Brampton MH. Multicentre CRC phase II trial of temozolomide in recurrent or progre high-grade glioma. Cancer Chemother Pharmacol. 1997;40(6):484-8. PMID: 9332462 [PubMed - indexed for MEDLINE]	Related Articles
PubMed Services	□202: Tentori L, Orlando L, Lacal PM, Benincasa E, Faraoni I, Bonmassar E, D'Atri S Graziani G. Inhibition of O6-alkylguanine DNA-alkyltransferase or poly(ADP-ribo increases susceptibility of leukemic cells to apoptosis induced by temo Mol Pharmacol. 1997 Aug;52(2):249-58. PMID: 9271347 [PubMed - indexed for MEDLINE]	ose) polymerase
	□203: Friedman HS, Johnson SP, Dong Q, Schold SC, Rasheed BK, Bigner SH, Ali-Osman F, Dolan E, Colvin OM, Houghton P, Germain G, Drummond JT, Keir S, Marcelli S, Bigner DD, Modrich P.	Related Articles
Related Resources	Methylator resistance mediated by mismatch repair deficiency in a glic multiforme xenograft. Cancer Res. 1997 Jul 15;57(14):2933-6. PMID: 9230204 [PubMed - indexed for MEDLINE]	blastoma
	□204: Armand JP.	Related Articles
	New anticancer drugs in Europe. Gan To Kagaku Ryoho. 1997 May;24 Suppl 1:70-93. Review. No abstract available. PMID: 9210890 [PubMed - indexed for MEDLINE]	
	□205: Chinnasamy N, Rafferty JA, Hickson I, Ashby J, Tinwell H, Margison GP, Dexter TM, Fairbairn LJ.	Related Articles
	O6-benzylguanine potentiates the in vivo toxicity and clastogenicity of and BCNU in mouse bone marrow. Blood. 1997 Mar 1;89(5):1566-73. PMID: 9057638 [PubMed - indexed for MEDLINE]	ftemozolomide
	□206: Jean-Claude BJ, Mustafa A, Cetateanu ND, Damian Z, De Marte J, Yen R, Vasilescu D, Chan TH, Leyland-Jones B. Design and mechanism of action of a novel cytotoxic 1,2,3-triazene-contenterocycle, 3,5-dimethyl-pyrido-1,2,3,5-tetrazepin-4-one (PYRZ), in epithelial ovarian cancer cell line NIH:OVCAR-3 in vitro. Br J Cancer. 1997;76(4):467-73. PMID: 9275023 [PubMed - indexed for MEDLINE]	_
	□207: Wedge SR, Porteous JK, Newlands ES.	Related Articles

Effect of single and multiple administration of an O6-benzylguanine/temozolomide combination: an evaluation in a human melanoma xenograft model.

Cancer Chemother Pharmacol. 1997;40(3):266-72. PMID: 9219512 [PubMed - indexed for MEDLINE]

□ 208: Newlands ES, Stevens MF, Wedge SR, Wheelhouse RT, Brock C.

Related Articles

Temozolomide: a review of its discovery, chemical properties, pre-clinical development and clinical trials.

Cancer Treat Rev. 1997 Jan;23(1):35-61. Review. No abstract available.

PMID: 9189180 [PubMed - indexed for MEDLINE]

□209: Wedge SR, Porteous JK, Glaser MG, Marcus K, Newlands ES.

Related Articles

In vitro evaluation of temozolomide combined with X-irradiation.

Anticancer Drugs. 1997 Jan;8(1):92-7.

PMID: 9147618 [PubMed - indexed for MEDLINE]

□210: Newlands ES, O'Reilly SM, Glaser MG, Bower M, Evans H, Brock C, Brampton MH, Colquhoun I, Lewis P, Rice-Edwards JM, Illingworth RD,

Related Articles

Richards PG.

The Charing Cross Hospital experience with temozolomide in patients with gliomas.

Eur J Cancer. 1996 Dec;32A(13):2236-41.
PMID: 9038604 [PubMed - indexed for MEDLINE]

□211: Liu L, Markowitz S, Gerson SL.

Related Articles

Mismatch repair mutations override alkyltransferase in conferring resistance to temozolomide but not to 1,3-bis(2-chloroethyl)nitrosourea.

Cancer Res. 1996 Dec 1;56(23):5375-9.

PMID: 8968088 [PubMed - indexed for MEDLINE]

☐ 212: Lacal PM, D'Atri S, Orlando L, Bonmassar E, Graziani G.

Related Articles

In vitro inactivation of human O6-alkylguanine DNA alkyltransferase by antitumor triazene compounds.

J Pharmacol Exp Ther. 1996 Oct;279(1):416-22.

PMID: 8859021 [PubMed - indexed for MEDLINE]

□213: Wedge SR, Porteous JK, Newlands ES.

Related Articles

3-aminobenzamide and/or O6-benzylguanine evaluated as an adjuvant to temozolomide or BCNU treatment in cell lines of variable mismatch repair status and O6-alkylguanine-DNA alkyltransferase activity.

Br J Cancer. 1996 Oct;74(7):1030-6.

PMID: 8855970 [PubMed - indexed for MEDLINE]

214: Wang G, Weiss C, Sheng P, Bresnick E.

Related Articles

Retrovirus-mediated transfer of the human O6-methylguanine-DNA methyltransferase gene into a murine hematopoietic stem cell line and resistance to the toxic effects of certain alkylating agents.

Biochem Pharmacol. 1996 May 3;51(9):1221-8.

PMID: 8645346 [PubMed - indexed for MEDLINE]

☐215: Wedge SR, Newlands ES.

Related Articles

O6-benzylguanine enhances the sensitivity of a glioma xenograft with low O6-alkylguanine-DNA alkyltransferase activity to temozolomide and BCNU. Br J Cancer. 1996 May;73(9):1049-52.

2 of 3

PMID: 8624262 [PubMed - indexed for MEDLINE]

216: Devineni D, Klein-Szanto A, Gallo JM.

Related Articles

Uptake of temozolomide in a rat glioma model in the presence and absence of the angiogenesis inhibitor TNP-470.

Cancer Res. 1996 May 1;56(9):1983-7.

PMID: 8616836 [PubMed - indexed for MEDLINE]

217: Wedge SR, Porteus JK, May BL, Newlands ES.

Related Articles

Potentiation of temozolomide and BCNU cytotoxicity by O(6)-benzylguanine: a comparative study in vitro.

Br J Cancer. 1996 Feb;73(4):482-90.

PMID: 8595163 [PubMed - indexed for MEDLINE]

□218: Karran P, Hampson R.

Related Articles

Genomic instability and tolerance to alkylating agents.

Cancer Surv. 1996;28:69-85. Review.

PMID: 8977029 [PubMed - indexed for MEDLINE]

219: Belanich M, Randall T, Pastor MA, Kibitel JT, Alas LG, Dolan ME, Schold SC Jr, Gander M, Lejeune FJ, Li BF, White AB, Wasserman P, Citron ML, Yarosh DB.

Intracellular Localization and intercellular heterogeneity of the human DNA repair protein O(6)-methylguanine-DNA methyltransferase.

Cancer Chemother Pharmacol. 1996;37(6):547-55.

PMID: 8612308 [PubMed - indexed for MEDLINE]

220: Graziani G, Faraoni I, Grohmann U, Bianchi R, Binaglia L, Margison GP, Watson AJ, Orlando L, Bonmassar E, D'Atri S.

O6-alkylguanine-DNA alkyltransferase attenuates triazene-induced cytotoxicity and tumor cell immunogenicity in murine L1210 leukemia.

Cancer Res. 1995 Dec 15;55(24):6231-6.

PMID: 8521419 [PubMed - indexed for MEDLINE]

Display Summary Sort Save	Text Clip Add	Order
Show: 20 v Items 201-220 of 272	Page 11 of 14	Select page: @11121314

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

A CONTRACTOR OF THE PROPERTY O







'> NCDI	of Medicine NLM
PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary V Sort V Save Text Clip Add Order
	Show: 20 V Items 241-260 of 272 Page 13 of 14 Select page: © 11 12 13 14
Entrez PubMed	☐ 241: Lee SM, Thatcher N, Crowther D, Margison GP. Inactivation of O6-alkylguanine-DNA alkyltransferase in human peripheral blood mononuclear cells by temozolomide. Br J Cancer. 1994 Mar;69(3):452-6. PMID: 8123472 [PubMed - indexed for MEDLINE]
PubMed Services	□242: Imperatori L, Damia G, Taverna P, Garattini E, Citti L, Boldrini L, D'Incalci M. Related Articles 3T3 NIH murine fibroblasts and B78 murine melanoma cells expressing the Escherichia coli N3-methyladenine-DNA glycosylase I do not become resistant to alkylating agents. Carcinogenesis. 1994 Mar;15(3):533-7. PMID: 8118939 [PubMed - indexed for MEDLINE]
	☐ 243: Berger NA. Related Articles
Related	Alkylating agents. Cancer Chemother Biol Response Modif. 1994;15:32-43. Review. No abstract available. PMID: 7779588 [PubMed - indexed for MEDLINE]
Resources	□244: Baer JC, Freeman AA, Newlands ES, Watson AJ, Rafferty JA, Margison GP. Related Articles Depletion of O6-alkylguanine-DNA alkyltransferase correlates with potentiation of temozolomide and CCNU toxicity in human tumour cells. Br J Cancer. 1993 Jun;67(6):1299-302. PMID: 8512814 [PubMed - indexed for MEDLINE]
	□245: O'Reilly SM, Newlands ES, Glaser MG, Brampton M, Rice-Edwards JM, Illingworth RD, Richards PG, Kennard C, Colquhoun IR, Lewis P, et al. Temozolomide: a new oral cytotoxic chemotherapeutic agent with promising activity against primary brain tumours. Eur J Cancer. 1993;29A(7):940-2. PMID: 8499146 [PubMed - indexed for MEDLINE]
	The therapeutic challenge of gliomas. Eur J Cancer. 1993;29A(7):936-9. Review. No abstract available. PMID: 8499145 [PubMed - indexed for MEDLINE]
	☐ 247: Stevens MF, Newlands ES. From triazines and triazenes to temozolomide. Eur J Cancer. 1993;29A(7):1045-7. No abstract available. PMID: 8499135 [PubMed - indexed for MEDLINE]

□248: Mitchell RB, Dolan ME.

Related Articles

Effect of temozolomide and dacarbazine on O6-alkylguanine-DNA alkyltransferase activity and sensitivity of human tumor cells and xenografts to

1,3-bis(2-chloroethyl)-1-nitrosourea.

Cancer Chemother Pharmacol. 1993;32(1):59-63.

PMID: 8462125 [PubMed - indexed for MEDLINE]

□ 249: Workman P, Kaye SB, Schwartsmann G.

Related Articles

Laboratory and phase I studies of new cancer drugs.

Curr Opin Oncol. 1992 Dec;4(6):1065-72. Review.

PMID: 1360819 [PubMed - indexed for MEDLINE]

□ 250: Lowe PR, Sansom CE, Schwalbe CH, Stevens MF, Clark AS.

Related Articles

Antitumor imidazotetrazines. 25. Crystal structure of

8-carbamoyl-3-methylimidazo[5,1-d]-1,2,3,5-tetrazin-4(3H)-one (temozolomide) and structural comparisons with the related drugs mitozolomide and DTIC.

J Med Chem. 1992 Sep 4;35(18):3377-82.

PMID: 1527789 [PubMed - indexed for MEDLINE]

251: Taverna P, Catapano CV, Citti L, Bonfanti M, D'Incalci M.

Related Articles

Influence of O6-methylguanine on DNA damage and cytotoxicity of temozolomide in L1210 mouse leukemia sensitive and resistant to chloroethylnitrosoureas.

Anticancer Drugs. 1992 Aug;3(4):401-5.

PMID: 1421437 [PubMed - indexed for MEDLINE]

☐ 252: Deans B, Tisdale MJ.

Related Articles

Antitumour imidazotetrazines XXVIII 3-methyladenine DNA glycosylase activity in cell lines sensitive and resistant to temozolomide.

Cancer Lett. 1992 Apr 15;63(2):151-7.

PMID: 1562991 [PubMed - indexed for MEDLINE]

253: Franchi A, Papa G, D'Atri S, Piccioni D, Masi M, Bonmassar E.

Related Articles

Cytotoxic effects of dacarbazine in patients with acute myelogenous leukemia: a pilot study.

Haematologica. 1992 Mar-Apr;77(2):146-50.

PMID: 1398299 [PubMed - indexed for MEDLINE]

□254: Newlands ES, Blackledge GR, Slack JA, Rustin GJ, Smith DB, Stuart NS, Quarterman CP, Hoffman R, Stevens MF, Brampton MH, et al.

Related Articles

Phase I trial of temozolomide (CCRG 81045: M&B 39831: NSC 362856).

Br J Cancer. 1992 Feb;65(2):287-91.

PMID: 1739631 [PubMed - indexed for MEDLINE]

255: Bianchi R, Citti L, Beghetti R, Romani L, D'Incalci M, Puccetti P, Fioretti MC. Related Articles

O6-methylguanine-DNA methyltransferase activity and induction of novel immunogenicity in murine tumor cells treated with methylating agents.

Cancer Chemother Pharmacol. 1992;29(4):277-82.

PMID: 1537073 [PubMed - indexed for MEDLINE]

□ 256: Hepburn PA, Tisdale MJ.

Related Articles

Antitumour imidazotetrazines--XXIV. Growth suppression by DNA from cells treated with imidazotetrazinones.

Biochem Pharmacol. 1991 Feb 1;41(3):339-43. PMID: 1994893 [PubMed - indexed for MEDLINE]

257: D'Incalci M, Taverna P, Erba E, Filippeschi S, Potenza D, Mariani L, Citti L, Catapano CV.

O6-methylguanine and temozolomide can reverse the resistance to

chloroethylnitrosoureas of a mouse L1210 leukemia.

Anticancer Res. 1991 Jan-Feb;11(1):115-21.

PMID: 2018345 [PubMed - indexed for MEDLINE]

258: Tsang LL, Quarterman CP, Gescher A, Slack JA.

Related Articles

Comparison of the cytotoxicity in vitro of temozolomide and dacarbazine, prodrugs of 3-methyl-(triazen-1-yl)imidazole-4-carboxamide.

Cancer Chemother Pharmacol. 1991;27(5):342-6. PMID: 1998993 [PubMed - indexed for MEDLINE]

259: Clark AS, Stevens MF, Sansom CE, Schwalbe CH.

Related Articles

Anti-tumour imidazotetrazines. Part XXI. Mitozolomide and temozolomide: probes for the major groove of DNA.

Anticancer Drug Des. 1990 Feb;5(1):63-8.

PMID: 2317259 [PubMed - indexed for MEDLINE]

260: Tsang LL, Farmer PB, Gescher A, Slack JA.

Related Articles

ay, ay in a garanta da

Characterisation of urinary metabolites of temozolomide in humans and mice and evaluation of their cytotoxicity.

Cancer Chemother Pharmacol. 1990;26(6):429-36. PMID: 2225314 [PubMed - indexed for MEDLINE]

Display Summary Sort V Save Text	Clip Add Order
Show: 20 v Items 241-260 of 272 Page 1	3 of 14 Select page: SIII III







PubMed N	ucleotide Protein Genome Structure PopSet Taxonomy OMIM Books
Search PubMed	for temozolomide Go Clear
	Limits Preview/Index History Clipboard Details
	Display Summary Sort Save Text Clip Add Order
	Show: 20 Items 261-272 of 272 Page 14 of 14 Select page: @1121314
Entrez PubMed	☐ 261: Zucchetti M, Catapano CV, Filippeschi S, Erba E, D'Incalci M. Related Articles Temozolomide induced differentiation of K562 leukemia cells is not mediated by gene hypomethylation. Biochem Pharmacol. 1989 Jul 1;38(13):2069-75. PMID: 2660797 [PubMed - indexed for MEDLINE]
PubMed Services	Antitumour imidazotetrazinesXVIII. Modification of the level of 5-methylcytosine in DNA by 3-substituted imidazotetrazinones. Biochem Pharmacol. 1989 Apr 1;38(7):1097-101. PMID: 2706009 [PubMed - indexed for MEDLINE]
Related Resources	☐ 263: Dive C, Workman P, Watson JV. Inhibition of cellular esterases by the antitumour imidazotetrazines mitozolomide and temozolomide: demonstration by flow cytometry and conventional spectrofluorimetry. Cancer Chemother Pharmacol. 1989;25(3):149-55. PMID: 2557170 [PubMed - indexed for MEDLINE]
	☐ 264: Tisdale MJ. Antitumour imidazotetrazines and gene expression. Acta Oncol. 1988;27(5):511-6. PMID: 3203008 [PubMed - indexed for MEDLINE]
	□265: Stevens MF, Hickman JA, Langdon SP, Chubb D, Vickers L, Stone R, Baig G, Related Articles Goddard C, Gibson NW, Slack JA, et al. Antitumor activity and pharmacokinetics in mice of 8-carbamoyl-3-methyl-imidazo[5,1-d]-1,2,3,5-tetrazin-4(3H)-one (CCRG 81045; M & B 39831), a novel drug with potential as an alternative to dacarbazine. Cancer Res. 1987 Nov 15;47(22):5846-52. PMID: 3664486 [PubMed - indexed for MEDLINE]
	□266: Bull VL, Tisdale MJ. Related Articles Antitumour imidazotetrazinesXVI. Macromolecular alkylation by 3-substituted imidazotetrazinones. Biochem Pharmacol. 1987 Oct 1;36(19):3215-20. PMID: 2444229 [PubMed - indexed for MEDLINE]
	☐ 267: Catapano CV, Broggini M, Erba E, Ponti M, Mariani L, Citti L, D'Incalci M. Related Articles In vitro and in vivo methazolastone-induced DNA damage and repair in L-1210

leukemia sensitive and resistant to chloroethylnitrosoureas.

Cancer Res. 1987 Sep 15;47(18):4884-9.

PMID: 3621181 [PubMed - indexed for MEDLINE]

\square 268: Tisdale MJ.

Related Articles

Antitumor imidazotetrazines--XV. Role of guanine O6 alkylation in the mechanism of cytotoxicity of imidazotetrazinones.

Biochem Pharmacol. 1987 Feb 15;36(4):457-62. PMID: 3470008 [PubMed - indexed for MEDLINE]

269: Hooper NI, Tisdale MJ, Thornalley PJ.

Related Articles

Glyoxalase activity during differentiation of human leukaemia cells in vitro.

Leuk Res. 1987;11(12):1141-8.

PMID: 3480403 [PubMed - indexed for MEDLINE]

□270: <u>Wilman DE.</u>

Related Articles

Prodrugs in cancer chemotherapy.

Biochem Soc Trans. 1986 Apr;14(2):375-82. No abstract available.

PMID: 3086154 [PubMed - indexed for MEDLINE]

☐ 271: Tisdale MJ.

Related Articles

Antitumour imidazotetrazines-X. Effect of

8-carbamoyl-3-methylimidazo[5,1-d]-1,2,3,5-tetrazin-4-(3H)-one (CCRG 81045; M & B 39831; NSC 362856) on DNA methylation during induction of haemoglobin synthesis in human leukaemia cell line K562.

Biochem Pharmacol. 1986 Jan 15;35(2):311-6.

PMID: 3455809 [PubMed - indexed for MEDLINE]

☐ **272:** <u>Tisdale MJ.</u>

Related Articles

له حل الله عالمان الرسومين الها الحيوا لموط

Antitumour imidazotetrazines--XI: Effect of

8-carbamoyl-3-methylimidazo[5,1-d]-1,2,3,5-tetrazin-4(3H)-one [CCRG 81045; M and B 39831 NSC 362856] on poly(ADP-ribose) metabolism.

Br J Cancer. 1985 Nov;52(5):789-92. No abstract available.

PMID: 3864485 [PubMed - indexed for MEDLINE]

Display Summary V Sort V Save	Text Clip Add	Order
Show: 20 V Items 261-272 of 272	Page 14 of 14	Select page: 81121314